JUN 22 2005

## PRINTER RUSH (PTO ASSISTANCE)

					+FW		
Application:	09/66804	2 Examiner :	Cuomo	GAU:	3636		
From:	_ Tw	Location:	IDC FMF_FDO	Date:	6-17-05		
Tracking #: 6007 989 Week Date: 9-6-04							
					<b>-</b>		
	DOC CODE	DOC DATE	MISCELL	ANEOUS			
	1449	·	Continuing	Data			
	IDS		Foreign Price	ority	·		
	CLM		Document I	egibility			
	IIFW		Fees				
	SRFW	4-15-05	$\bigcirc \text{Other } -c\tau$	m			
	DRW	***************************************					
	OATH				·		
	312						
	SPEC						
	•	: Chec Drapty	rem				
[RUSH] MESS	SAGE:						
, , ,		.,	the CTONY of	te that wer	J desurge		
	ometted but a	He New GRAWING	NEKE NO 200	n (vjen.			
Meare rody							
			<u> </u>	The	X Ya		
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
[XRUSH] RESPONSE:							
			1 0	1,/2	3/04		
				INITI	ALS:		

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NUMBER 09/668042

FILING/RECEIPT DATE **09/21/2000** 

FIRST NAMES APPLICANT
GOOTTER, STEVEN
M

ATTORNEY DOCKET NUMBER 100281-10200

DUCKOR SPRADLING METZGER 401 WEST A STREET, SUITE 2400 SAN DIEGO CA 92101-7915

Examiner
EDELL JOSEPH F
Art Unit
3636

Date Mailed: 06/23/05

## **Notice Regarding Drawings**

Corrected drawings for the above-identified application, received in the USPTO on <u>09/21/2000</u> are still not acceptable for the reason(s) identified on the attached PTO-948. Applicant is given one opportunity to correct the informalities within a two-month time period from the mailing date of this Notice. THIS TIME PERIOD IS NOT EXTENDABLE UNDER EITHER 37 CFR 1.136(a) OR 1.136(b). Failure to take corrective action within the set period will result in abandonment of the application.

ATTACHMENT: PTO-948 Notice of Draftsperson's Patent Review RETURN CORRECTED DRAWINGS TO:
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450
John Fitzhugh
Office Of Patents Publication
Publishing Division
703-305-0333 ext-137

U.S. DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

## NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

Color (3 sets required).  Color drawings are not acceptable until petition is granted. Fig(s)  Pencil and non black ink not permitted. Fig(s)  2. PHOTOGRAPHS. 37 CFR 1.84(b)  One (1) full-tone set is required. Fig(s)  Photographs may not be mounted. 37 CFR 1.84(c)  Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s)  Poor quality (half-tone). Fig(s)  3. TYPE OF PAPER. 37 CFR 1.84(e)  Paper not flexible, strong, white, and durable. Fig(s)  Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s)  4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes:  21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches)  All drawing sheets not the same size.  Sheet(s)  Top (T)  Left (L)  Right (R)  Bottom (B)  6. VIEWS. 37 CFR 1.84(p):  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, and contact of the same size is either upright or turned so that the top becomes the right side. except for graphs. Fig(s)  9. SCALE. 37 CFR 1.84(k)  Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction. Fig(s)  10. CHARACTER OF LINES, NUMBERS, & LETTERS, at CFR 1.84(m)  Solid black sareas pale. Fig(s)  11. SHADING. 37 CFR 1.84(m)  Solid black areas pale. Fig(s)  12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p)  Fig(s)  12. NUMBERS, LETTERS, at Reference characters not plain and legible. Fig(s)  Figure legends are poor. Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Legal in the top becomes the right side. except for graphs. Fig(s)  10. CHARACTER OF LINES, NUMBERS, & LETTERS, 37 CFR 1.84(p)  Lines, numbers & letters not uniformly thick and vell defined, clean, durable, and black (poor line quality). Fig(s)  11. SHADING. 37 CFR 1.84(p)  Numbers and reference characters n	1. DRAWINGS. 37 CFR 1.84(a): Acceptable	8. ARRANGEMENT OF VIEWS. 37 CFR 1.84(i) Words do not appear on a horizontal, left-to-right
Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 1. STAPE OF PAPER. 37 CFR 1.84(f). Acceptable sizes: 21.0 cm by 27.9 cm (B1N size A4) or Margins not acceptable. Fig(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top (7) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Arabic or Roman numbers. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted. Fig(s) Solid black areas pale. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not price to in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not price to two-thirds in reproduction. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not price to two-thirds in reproduction. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not price to two-thirds in reproduction. Fig(s) Numbers and reference characters not price to two-thirds in reproduction. Fig(		
granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings interlineations, folds, copy machine marks not accepted. Fig(s) II. SHADING. 37 CFR 1.84(m) Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction. Fig(s) II. CHARACTER OF LINES, NUMBERS, & LETTERS, & REFREENCE CHARACTERS. 37 CFR 1.84(m) Lines, numbers & letters not unitofmly thick and well defined, clean, durable, and black (poor line quality). Fig(s) II. SHADING. 37 CFR 1.84(m) Numbers and reference characters not plain and legible. Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) English alphabet not used. 37 CFR 1.84(p) Fig(s) II. SHADING. 37 CFR 1.84(p) Numbers and reference characters not promise. Fig(s) Fig(s) English Fig(s) Figure legend		
Pencil and non black ink not permitted. Fig(s)  2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(c) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable size: Shect(s) Drawings sheets not the same size. Shect(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (7) Right (R) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER'S. Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted. Fig(s)  11. SHADING. 37 CFR 1.84(p) Lines, numbers & letters not unifotmly thick and well defined, clean, durable, and black (poor line quality). Fig(s)  11. SHADING. 37 CFR 1.84(p) Solid black shading not permitted. Fig(s)  11. SHADING. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s)  English alphabet not used. 37 CFR 1.84(p)(2) Fig(s)  1. SHADING. 37 CFR 1.84(p)(2) Fig(s)  1. SHADING OF SHEETS OF DRAWINGS. 37 CFR 1.84(p)(2) Fig(s)  1. Numbers letters not unifotmly thick and well defined, clean, durable, and black (poor line quality). Fig(s)  1. Numbers letters not unifotmly thick and well defined, clean, durable, and black (poor line quality). Fig(s)  1. Numb		
2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(c) Photographs must met paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f). Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) (A VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1.A, Fig 18 and Fig. 1.C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Scale not large enough to show mechanism without crowding win drawing is reduced in size to two-thirds in reproduction. Fig(s)  10. CHARACTER OF LINES, NUMBERS, & ETJERS. 37 CFR 1.84(n) Licins, numbers & letters not unifolmly thick and well defined, clean, durable, and black (poor line quality). Fig(s)  11. SHADING. 37 CFR 1.84(n) Lines, numbers & letters not unifolmly thick and well defined, clean, durable, and black (poor line quality). Fig(s)  12. NUMBERS, LETTERS. 8 TEFRENCE CHARACTER OF LINES, NUMBERS, & ETJERS. 37 CFR 1.84(n) Lines, numbers & letters not unifolmly thick and well defined, clean, durable, and black (poor line quality). Fig(s)  13. SHADING. 37 CFR 1.84(p) Lines, numbers & letters not unifolmly thick and well defined, clean, durable, and black (poor line quality).		
one (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings interlineations, folds, copy machine marks not accepted. Fig(s) Erasures and retrained for fig. 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not an acceptable size. Fig(s) Top (7) SharGins, 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (7) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(f): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable size. Fig(s) Top (7) Fig(s) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  13. LEAD LINES, NUMBERS, & ETTERS. 37 CFR 1.84(m) Solid black shading not permitted. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(m) Solid black shading not permitted. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) 13. LEAD LINES. 14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(t) Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(t) Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(t) Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s) Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s) Solid black surface shading is not permitted except when used t		
Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures (mount of the paper		
Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted. Fig(s) Lines, numbers & letters not unifotymly thick and well defined, clean, durable, and back (poor line quality). Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solid black stading not permitted. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solid black stading in permitted. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solid black stading in permitted. Fig(s) Numbers are letters. 37 CFR 1.84(p)(2) Fig(s) Numbers alt		
3.7 CFR 1.84(f), Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  10. CHARACTER OF LINES, NUMBERS, & LETTERS, 37 CFR 1.84(l) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Figure legends are poor. Fig(s) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers. letters and reference characters must be at least 32 cm (1/8 inh) in height. 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES, 70 FR 1.84(m) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers. letters and reference characters must be at least 32 cm (1/8 inh) in height. 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES, 70 FR 1.84(p)(2) Fig(s) Numbers. letters and reference characters must be at least 32 cm (1/8 inh) in height. 37 CFR 1.84(p)(3). Fig(s)  14. NUMBERING OF		· · · · · · · · · · · · · · · · · · ·
Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) 12. NUMBERS, LETTERS, 37 CFR 1.84(m) Solid black shading not permitted. Fig(s)  Numbers and reference characters not plain and legible. Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s)  13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Sheet(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		
3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1.A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  MINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1.A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  MINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1.A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p) Sheat not numbered consecutively, and in Arabic numerals, beginning with number 1. Sheet(s) Sheat not numbered conse		
Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Numbers and reference characters not plain and legible. Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s)  English alphabet not used. 37 CFR 1.84(p)(2) Fig(s)  Lead lines missing. Fig(s)  13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s)  Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s) Fig(s) Solid black sareas pale. Fig(s)  Numbers and reference characters not plain and legible. Fig(s)  Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s)  Sheet sol numbers beginning with number 1. Sheet(s)  Sheet sol numbers beginning with number 1. Sheet(s)  Sheet sol numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.84(u) Views not numbered		
Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s)  4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s)  Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  A Sloid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s)  13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s) Solid black surface shading is not permitted exceywhen used to represent the color black as well as color contrast. Fig(s)		
Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s)  4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (B 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s)  Top (T) Left (L) Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  11. SHADING. 37 CFR 1.84(m) Solid black areas pale. Fig(s)  12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numbers beginning with number 1. Fig(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numbers beginning with number 1. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)	Fig(s)	
Folds, copy machine marks not accepted. Fig(s)  4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Solid black shading not permitted. Fig(s)  LUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s)  13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)	Erasures, alterations, overwritings, interlineations,	11. SHADING. 37 CFR 1.84(m)
4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes:  21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left (2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s)  Figure legends are poor. Fig(s) Numbers and reference characters not plain and legible. Fig(s)  Figure legends are poor. Fig(s) Numbers and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(q) Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  15. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		
sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and		
21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches)     All drawing sheets not the same size.     Sheet(s)     Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm     Margins not acceptable. Fig(s)     Top (T)     Left (L)     Right (R)     Bottom (B)  6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.     Views not labeled separately or properly.     Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s)  Lead lines missing. Fig(s)  13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)	4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable	
21.6 cm by 27.9 cm (8 1/2x 11 inches)     All drawing sheets not the same size.  Sheet(s) Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  legible. Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		
All drawing sheets not the same size.  Sheet(s) Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s)  Top (T) Left (L) Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Fig(s)  Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s)  Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Sheet(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		
Sheet(s) Drawings sheets not an acceptable size. Fig(s)		
brawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins:  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm  Margins not acceptable. Fig(s)  Top (T) Left (L)  Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  The same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  English alphabet not used. 37 CFR 1.84(p)(2)  Fig(s)  Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR 1.84(q)  Lead lines missing. Fig(s)  Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u)  Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)	<del></del>	
5. MARGINS. 37 CFR 1.84(g): Acceptable margins:  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm		
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm  Margins not acceptable. Fig(s)  Top (T)  Right (R)  Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Benglish alphabet not used. 37 CFR 1.84(p)(2)  Fig(s)  Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR 1.84(q)  Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u)  Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u)  Views not numbered consecutively, and in Arabic numbers beginning with number 1. Fig(s)  Solid black surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted exception of the Color black as well as color contrast. Fig(s)		- ·
Margins not acceptable. Fig(s)  Top (T) Left (L) Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Fig(s) Solid black surface shading is not permitted exceywhen used to represent the color black as well as color contrast. Fig(s)		
Top (T) Left (L) Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted exception of the color black as well as color contrast. Fig(s)		
Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		
6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted exception when used to represent the color black as well as color contrast. Fig(s)		
REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		
Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS.  37 CFR 1.84(t)  Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s)  Tig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Lead lines missing. Fig(s)  SheetS NUMBERING OF SHEETS OF DRAWINGS.  37 CFR 1.84(t)  Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s)  Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		
changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Arabic or Roman numbers. Fig(s)  Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s)  Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		Lead lines missing. Fig(s)
specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		14. NUMBERING OF SHEETS OF DRAWINGS.
must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s)  Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)	specification, at the Brief Description of the Drawings,	
Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		Sheets not numbered consecutively, and in Arabic
7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)	Views not labeled separately or properly.	
Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.152  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		
Arabic or Roman numbers. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.152  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)	7. <b>SECTIONAL VIEWS.</b> 37 CFR 1.84(h)(3)	Views not numbered consecutively, and in Arabic
Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)	Sectional designation should be noted with	numerals, beginning with number 1. Fig(s)
Fig(s) Solid black surface shading is not permitted exception when used to represent the color black as well as color contrast. Fig(s)	Arabic or Roman numbers. Fig(s)	
Solid black surface shading is not permitted exception when used to represent the color black as well as color contrast. Fig(s)		
when used to represent the color black as well as color contrast. Fig(s)		Solid black surface shading is not permitted excen
color contrast. Fig(s)		
OMMENTS:		
	OMMENTS:	
	iewer	Date $\left( \sqrt{2} \right) $ $\frac{3}{5}$
$\frac{1}{10000000000000000000000000000000000$	u have questions, call (703) 305-8404	Attachment to Paper No.